

Table 29: Fungicide Resistance Management

Disease-causing fungi may become resistant to fungicides if label precautions are not followed carefully. This table is designed to help growers alternate applications between fungicides with different modes of action to avoid or delay development of fungicide resistance in fungi. Many product labels use the same letters and numbers as those listed in the MOA Code column below. This list is not exhaustive, but does contain many of the fungicides used in the Midwest.

Trade Names	Common Name	Risk of Resistance	MOA Code ¹
Actigard®	acibenzolar-S-methyl	none-low	21 ²
Agri-Fos®, Phostrol®	phosphorous acid	low	NA ³
Aliette®	fosetyl-A1	low	33
Aprovia Top®	benzovindiflupyr (7), difenconazole (3)	medium	7, 3
Bravo®, Echo® Equus®	chlorothalonil	none-low	M ⁴
Cabrio®, Headline®	pyraclostrobin	high	11
copper (several)	copper	none-low	M
Curzate®	cymoxanil	medium-high	27
Dithane®, Manzate®, Penncozeb®	mancozeb/maneb	none-low	M
Endura®	boscalid	medium	7
Flint®, Gem®	trifloxystrobin	high	11
Fontelis®	penthiopyrad	medium-high	7
Forum®	dimethomorph	medium-high	40
Gavel®	mancozeb (M) + zoxamide (22)	low-medium	M, 22
Inspire Super®	cyprodinil (9) + difenoconazole (3)	medium	9, 3
Kumulus DF®, Microthiol®, Thiolut Jet®	sulfur	none-low	M
Luna Experience®	fluopyram (7) + tebuconazole (3)	medium	7, 3
Luna Sensation®	fluopyram (7) + trifloxystrobin (11)	medium	7, 11
Luna Tranquility®	fluopyram (7) + pyrimethanil (9)	medium	7, 9
Merivon®, Priaxor®	fluxapyroxad (11) + pyraclostrobin (7)	Medium-high	7, 11
Monsoon®, Onset®, Toledo®, Vibe®	tebuconazole	medium	3
Omega®	fluazinam	low	29
Orondis Opti®	oxathiapipropilin (U15) + chlorothalonil (M)	medium-high	U15, M
Orondis Ridomil Gold SL®	oxathiapropilin (U15) + mefenoxam (4)	medium-high	U15, 4
Orondis Ultra®	oxathiapropilin (U15) + mandipropamid (40)	medium-high	U15, 40
Presidio®	fluopicolide	medium-high	43
Previcur Flex®	propamocarb	low-medium	28
Pristine®	boscalid (7) + pyraclostrobin (11)	medium-high	7, 11
Procure®	triflumizole	medium	3
Quadris®, Satori®	azoxystrobin	high	11
Quadris Top®	azoxystrobin (11) + difenoconazole (3)	medium-high	11, 3
Quintec®	quinoxifen	medium	13
Rally®	myclobutanil	medium	3
Ranman®	cyazofamid	medium-high	21
Reason®	fenamidone	high	11
Revus®	mandipropamid	medium-high	40
Revus Top®	mandipropamid difenoconazole	low-medium	40 3
Ridomil®	mefenoxam	high	4
Rovral®	iprodione	medium	2
Scala®	pyrimethanil	medium	9
Switch®	cyprodinil (9) + fludioxonil (12)	low-medium	9, 12
Tanos®	cymoxanil (27) + famoxadone (11)	medium	27, 11
Tilt®	propiconazole	medium	3
Topsin M®	thiophanate-methyl	high	1
Torino®	cyflufenamid	low moderate	U6
Zampro®	ametotradin/ dimethomorph	medium	45, 40
Zing®	chlorothalonil (M), zoxamide (22)	low-medium	M, 22
Ziram®	ziram	none-low	M

¹MOA=mode of action, or FRAC code.

²Fungicides with a numbered MOA code have very specific activity sites and may cause resistance to develop in fungi. These fungicides should be alternated with fungicides with different MOA codes. Read product labels to determine resistance management strategies.

³NA=not available.

⁴M=multi-site activity. Fungicides with mode of action code M are contact fungicides. It is not necessary to alternate these fungicides for resistance management.