

Purdue University

Low rates of metsulfuron for weed control in wheat.

Trial ID: 12S-THP-CTW-91 Protocol ID: 12S-THP-CTW-91
 Location: Throckmorton Study Director: White/Marquardt
 Project ID: USA-12-224 Investigator: Dr. Bill Johnson
 Sponsor Contact: DuPont - Helen Flanigan

General Trial Information

Study Director: White/Marquardt **Title:** Research Associate
Investigator: Dr. Bill Johnson **Title:** Professor

Discipline: H herbicide
Trial Status: E established
Initiation Date: 3-27-2012

Trial Location

City: Lafayette
State/Prov.: IN
Postal Code: 47909
Country: USA

Personnel

Study Director: White/Marquardt **Title:** Research Associate
Affiliation: Purdue University
Address: 915 W State Street
Location: West Lafayette, IN, USA
Postal Code: 47907 **E-mail:** mdwhite@purdue.edu
Phone No.: 765-494-0891
Investigator: Dr. Bill Johnson **Title:** Professor
Affiliation: Purdue University
Address: 915 W State Street
Location: West Lafayette, IN, USA
Postal Code: 47907 **E-mail:** wgj@purdue.edu
Phone No.: 765-494-4656 **Mobile No.:** 765-404-9801

Cooperator/Landowner

Cooperator: Throckmorton Purdue Ag Center **Role:** Purdue Ag Center
Organization: Purdue University
Address 1: 8343 US 231 S
City: Lafayette **Phone No.:** 765-538-3422
State/Prov: IN **Fax No.:** 765-538-3423
Postal Code: 47909 **E-mail:** jayyoung@purdue.edu
Country: USA United States

Crop Description

Crop 1: TRZAW Triticum aestivum (winter) Winter wheat
BBCH Scale: BCER

Pest Description

Pest 1 Type: W **Code:** CAPBP Capsella bursa-pastoris
Common Name: Shepherd's purse

Pest 2 Type: W **Code:** TAROF Taraxacum officinale
Common Name: Common dandelion

Pest 3 Type: W **Code:** STEME Stellaria media
Common Name: Common chickweed

Pest 4 Type: W **Code:** LAMAM Lamium amplexicaule
Common Name: Henbit

Site and Design

Plot Width, Unit: 10 FT **Site Type:** FIELD field
Plot Length, Unit: 30 FT **Experimental Unit:** 1 PLOT plot
Plot Area, Unit: 300 FT2 **Tillage Type:** CONTIL conventional-till
Replications: 4 **Study Design:** RACOB Randomized Complete Block (RCB)
Untreated Arrangement: INCLUDED single control randomized in each block

Purdue University

Application Description

	A
Application Date:	4-3-2012
Application Method:	SPRAY
Application Timing:	A
Application Placement:	FOLIAR
Applied By:	MW
Air Temperature, Unit:	71 F
% Relative Humidity:	54
Wind Velocity, Unit:	7 MPH
Wind Direction:	S
Dew Presence (Y/N):	Y yes
Soil Temperature, Unit:	54 F
Soil Moisture:	DRY
% Cloud Cover:	10

Crop Stage At Each Application

	A
Crop 1 Code, BBCH Scale:	TRZAW BCER
Height, Unit:	12 IN

Pest Stage At Each Application

	A
Pest 1 Code, Type, Scale:	CAPBP W
Height, Unit:	14 IN
Density, Unit:	1 YD2
Pest 2 Code, Type, Scale:	TAROF W
Height, Unit:	6 IN
Density, Unit:	5 YD2
Pest 3 Code, Type, Scale:	STEME W
Height, Unit:	5 IN
Density, Unit:	20 YD2
Pest 4 Code, Type, Scale:	LAMAM W
Height, Unit:	7 IN
Density, Unit:	10 YD2

Purdue University

Application Equipment

	A
Appl. Equipment:	CO2 BKPK
Equipment Type:	SPRBAC
Operation Pressure, Unit:	17 PSI
Nozzle Type:	FLAT FAN
Nozzle Size:	XR 110 02
Nozzle Spacing, Unit:	15 IN
Nozzles/Row:	8
Boom Length, Unit:	10 FT
Boom Height, Unit:	18 IN
Ground Speed, Unit:	3 MPH
Carrier:	H2O
Water Hardness (ppm CaCO3):	150
Spray Volume, Unit:	15 gal/ac
Mix Size, Unit:	1.8 liters
Propellant:	CO2
Tank Mix (Y/N):	N no

Purdue University

Low rates of metsulfuron for weed control in wheat.

Trial ID: 12S-THP-CTW-91 Protocol ID: 12S-THP-CTW-91
 Location: Throckmorton Study Director: White/Marquardt
 Project ID: USA-12-224 Investigator: Dr. Bill Johnson
 Sponsor Contact: DuPont - Helen Flanigan

Pest Type						W Weed	W Weed
Pest Code						LAMAM	TAROF
Pest Scientific Name						Lamium amplexi>	Taraxacum offi>
Pest Name						Henbit	Common dandel>
Crop Code	TRZAW	TRZAW	TRZAW	TRZAW	TRZAW	TRZAW	TRZAW
BBCH Scale	BCER	BCER	BCER	BCER	BCER	BCER	BCER
Crop Scientific Name	Triticum aesti>	Triticum aesti>	Triticum aesti>	Triticum aesti>	Triticum aesti>	Triticum aesti>	Triticum aesti>
Crop Name	Winter wheat	Winter wheat	Winter wheat	Winter wheat	Winter wheat	Winter wheat	Winter wheat
Rating Date	4-13-2012	4-13-2012	4-13-2012	4-19-2012	4-19-2012	4-19-2012	4-19-2012
Rating Type	PHYNLS	PHYCHL	PHYSTU	PHYCHL	PHYSTU	CONTRO	CONTRO
Rating Unit	%	%	%	%	%	%	%
Number of Subsamples	1	1	1	1	1	1	1
Pest Stage Majority						12 IN	10 IN
Pest Density, Unit						5 YD2	3 YD2
Assessed By	MW	MW	MW	MW	MW	MW	MW
Days After First/Last Applic.	10 10	10 10	10 10	16 16	16 16	16 16	16 16
Trt-Eval Interval	10 DA-A	10 DA-A	10 DA-A	16 DA-A	16 DA-A	16 DA-A	16 DA-A
Trt No.	1	2	3	4	5	6	7
Treatment Name	1	2	3	4	5	6	7
Rate							
Unit							
App Code							
1 Untreated Check	0.0 a	0.0 b	0.0 a	0.0 a	0.0 a	0.0 b	0.0 a
2 Harmony SG (50 SG) Express (50 WG) NIS	0.25 oz ai/a A 0.125 oz ai/a A 0.25 % v/v A	0.8 a 3.3 a	1.3 a	3.0 a	2.5 a	52.5 a	30.0 a
3 Harmony SG (50 SG) Express (50 WG) NIS	0.3 oz ai/a A 0.15 oz ai/a A 0.25 % v/v A	0.0 a 0.0 b	0.0 a	0.8 a	0.0 a	10.0 ab	17.5 a
4 Metsulfuron (60 WG) NIS	0.02 oz ai/a A 0.25 % v/v A	1.3 a 0.0 b	0.0 a	0.0 a	0.0 a	17.5 ab	22.5 a
5 Express (50 WG) Metsulfuron (60 WG) NIS	0.15 oz ai/a A 0.02 oz ai/a A 0.25 % v/v A	0.0 a 0.0 b	1.5 a	1.3 a	0.0 a	20.0 ab	17.5 a
6 Harmony SG (50 SG) Express (50 WG) Metsulfuron (60 WG) NIS	0.25 oz ai/a A 0.125 oz ai/a A 0.02 oz ai/a A 0.25 % v/v A	1.5 a 0.8 b	1.5 a	1.3 a	1.8 a	40.0 ab	22.5 a
7 Harmony SG (50 SG) Express (50 WG) Metsulfuron (60 WG) NIS	0.3 oz ai/a A 0.15 oz ai/a A 0.02 oz ai/a A 0.25 % v/v A	0.0 a 0.8 b	2.0 a	0.0 a	3.3 a	47.5 a	27.5 a
LSD (P=.05)	1.91	1.93	1.88	3.16	2.64	30.50	31.47
Standard Deviation	1.29	1.30	1.27	2.13	1.77	20.53	21.19
CV	257.28	191.61	141.99	238.01	165.57	76.64	107.85
Bartlett's X2	0.832	1.752	0.708	1.938	0.152	4.78	1.475
P(Bartlett's X2)	0.66	0.416	0.871	0.585	0.927	0.443	0.916
Replicate F	0.950	1.542	5.356	0.071	3.163	0.664	1.260
Replicate Prob(F)	0.4376	0.2379	0.0082	0.9746	0.0499	0.5850	0.3178
Treatment F	1.058	3.338	1.859	1.049	2.508	3.791	0.862
Treatment Prob(F)	0.4227	0.0217	0.1437	0.4273	0.0608	0.0128	0.5407

Means followed by same letter do not significantly differ (P=.05, Student-Newman-Keuls)
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Purdue University

Pest Type	W Weed	W Weed	W Weed		
Pest Code	STEME		LAMAM		
Pest Scientific Name	Stellaria media		Lamium amplexi>		
Pest Name	Common chickwe>		Henbit		
Crop Code	TRZAW	TRZAW	TRZAW	TRZAW	TRZAW
BBCH Scale	BCER	BCER	BCER	BCER	BCER
Crop Scientific Name	Triticum aesti>	Triticum aesti>	Triticum aesti>	Triticum aesti>	Triticum aesti>
Crop Name	Winter wheat	Winter wheat	Winter wheat	Winter wheat	Winter wheat
Rating Date	4-19-2012	5-3-2012	5-3-2012	5-3-2012	5-3-2012
Rating Type	CONTRO	CONTRO	CONTRO	PHYCHL	PHYSTU
Rating Unit	%	%	%	%	%
Number of Subsamples	1	1	1	1	1
Pest Stage Majority	10 IN		14 IN		
Pest Density, Unit	10 YD2		5 FT2		
Assessed By	MW	MW	MW	MW	MW
Days After First/Last Applic.	16 16	30 30	30 30	30 30	30 30
Trt-Eval Interval	16 DA-A	30 DA-A	30 DA-A	30 DA-A	30 DA-A
Trt No.	8	9	10	11	12
Treatment Name					
Rate					
Unit					
Appl Code					
1 Untreated Check	0.0 a	0.0 b	0.0 b	0.0 a	0.0 a
2 Harmony SG (50 SG)	0.25 oz ai/a A	49.8 a	71.3 a	60.0 a	2.5 a
Express (50 WG)	0.125 oz ai/a A				5.8 a
NIS	0.25 % v/v A				
3 Harmony SG (50 SG)	0.3 oz ai/a A	37.3 a	62.5 a	47.5 a	0.8 a
Express (50 WG)	0.15 oz ai/a A				0.8 a
NIS	0.25 % v/v A				
4 Metsulfuron (60 WG)	0.02 oz ai/a A	52.5 a	42.5 a	37.5 a	0.8 a
NIS	0.25 % v/v A				1.3 a
5 Express (50 WG)	0.15 oz ai/a A	37.5 a	67.5 a	55.0 a	0.8 a
Metsulfuron (60 WG)	0.02 oz ai/a A				2.0 a
NIS	0.25 % v/v A				
6 Harmony SG (50 SG)	0.25 oz ai/a A	35.0 a	67.5 a	67.5 a	0.8 a
Express (50 WG)	0.125 oz ai/a A				2.0 a
Metsulfuron (60 WG)	0.02 oz ai/a A				
NIS	0.25 % v/v A				
7 Harmony SG (50 SG)	0.3 oz ai/a A	50.0 a	67.5 a	50.0 a	2.0 a
Express (50 WG)	0.15 oz ai/a A				4.0 a
Metsulfuron (60 WG)	0.02 oz ai/a A				
NIS	0.25 % v/v A				
LSD (P=.05)	41.81	30.96	31.04	2.62	3.91
Standard Deviation	28.14	20.84	20.89	1.76	2.64
CV	75.19	38.52	46.06	164.41	117.12
Bartlett's X2	8.53	8.086	2.606	2.727	5.083
P(Bartlett's X2)	0.129	0.152	0.76	0.742	0.406
Replicate F	0.946	2.090	2.495	1.519	3.228
Replicate Prob(F)	0.4394	0.1373	0.0927	0.2436	0.0470
Treatment F	1.636	6.084	4.495	0.959	2.280
Treatment Prob(F)	0.1945	0.0013	0.0060	0.4794	0.0819

Purdue University

Low rates of metsulfuron for weed control in wheat.

Trial ID: 12S-THP-CTW-91 Protocol ID: 12S-THP-CTW-91
 Location: Throckmorton Study Director: White/Marquardt
 Project ID: USA-12-224 Investigator: Dr. Bill Johnson
 Sponsor Contact: DuPont - Helen Flanigan

Pest Type

W, Weed, G-BYRW7, G-WedStg = Weed or volunteer crop

Pest Code

LAMAM, Lamium amplexicaule, = US

TAROF, Taraxacum officinale, = US

STEME, Stellaria media, = US

Crop Code

TRZAW, BCER, Triticum aestivum (winter), = US

Rating Type

PHYNLS = phytotoxicity - necrosis, leaf spot

PHYCHL = phytotoxicity - chlorosis

PHYSTU = phytotoxicity - stunting

CONTRO = control / burndown or knockdown

Rating Unit

% = percent

YD2 = per square yard

FT2 = per square foot